Bill								
Receiv	ed:	8/16/201	3			Received By:	rkite	
Wante	d:	As time	permits			Same as LRB:		
For:		Erik Sev	verson (608)	267-2365		By/Representing:	AJ Scholz	
May C	ontact:					Drafter:	rkite	
Subjec	t:	Nat. Res	s boats sno	mos ATVs		Addl. Drafters:		
						Extra Copies:		
Reque	t via em ster's en n copy (YES Rep.Se	everson@legis	s.wisconsi	n.gov		
Pre To		<u>cc) to:</u>			**************************************	es e		100000000000000000000000000000000000000
No spe	ecific pr	e topic gi	ven					
Topic	•							
Defini	tion cha	nges for	ATVs and UT	ΓVs				
Instru	ctions:							
See att	tached							
Drafti	ng Hist	ory:					· · · · · · · · · · · · · · · · · · ·	
Vers.	<u>Drafte</u>	<u>d</u>	Reviewed	Typed	Proofed	Submitted	Jacketed	Required
/?	rkite 8/19/2	013				- -		
/P1	rkite 9/9/20	13	evinz 8/26/2013	jmurphy 8/26/2013		lparisi 8/26/2013		
/1			scalvin 9/11/2013	jmurphy 9/11/2013		mbarman 9/11/2013	lparisi 9/11/2013	
FE Ser	nt For:							

<END>

Bill							
Receiv	red: 8/16 /	/2013		R	Received By:	rkite	
Wante	d: As ti	me permits		S	same as LRB:		
For:	Erik	Severson (608)	267-2365	E	By/Representing:	AJ Scholz	
May C	Contact:			Γ	Orafter:	rkite	
Subjec	Subject: Nat. Res boats snomos ATVs				Addl. Drafters:		
				E	Extra Copies:		
Reque	t via email: ster's email: n copy (CC) t	-	everson@leg	is.wisconsin	.gov		
Pre To			/		e e		
No spe	ecific pre topi	c given					
Topic					,		
Defini	tion changes	for ATVs and U	TVs				
Instru	ctions:						
See att	tached						
Drafti	ing History:						
Vers.	<u>Drafted</u>	Reviewed	Typed	Proofed	Submitted	<u>Jacketed</u>	Required
/?	rkite 8/19/2013						
/P1	rkite 9/9/2013	evinz 8/26/2013	jmurphy 8/26/2013		lparisi 8/26/2013		
/1		scalvin 9/11/2013	jmurphy 9/11/2013		mbarman 9/11/2013		
FE Se	nt For:						

Bill								
Receiv	ved:	8/16/201	3			Received By:	rkite	
Wante	d:	As time	permits			Same as LRB:	•	
For:		Erik Sev	verson (608)	267-2365		By/Representing:	AJ Scholz	
May C	Contact:					Drafter:	rkite	
Subjec	et:	Nat. Res	s boats sno	omos ATVs		Addl. Drafters:		
						Extra Copies:		
Reque	t via ema ster's em n copy (0	ail:	YES Rep.S	everson@legis	s.wisconsii	n.gov		
Pre To	opic:							
No spe	ecific pre	e topic gi	ven					
Topic	•							
Defini	tion cha	nges for A	ATVs and U	ΓVs 🖍				
Instru	ctions:		,					
See att	tached							
Drafti	ing Histo	ory:						
Vers.	Drafted	L	Reviewed	Typed	Proofed	Submitted	<u>Jacketed</u>	Required
/?	rkite 8/19/20	013						
/P1	rkite 8/22/20)13	evinz 8/26/2013	jmurphy 8/26/2013	-	lparisi 8/26/2013		
FE Se	nt For:	6	1 3ac 9/11/2013	Send>	Just 91	, N		

Bill			
Received:	8/16/2013	Received By:	rkite
Wanted:	As time permits	Same as LRB:	
For:	Erik Severson (608) 267-2365	By/Representing:	AJ Scholz
May Contact:		Drafter:	rkite
Subject:	Nat. Res boats snomos ATVs	Addl. Drafters:	
		Extra Copies:	
Submit via em Requester's en Carbon copy (Pre Topic: No specific pr	nail: Rep.Severson@legis.wiscons	sin.gov	
Topic:	·····		
Definition cha	unges for ATVs and UTVs		
Instructions:			
See attached			
Drafting Hist	ory:		

Vers. Drafted

Reviewed

Proofed

Submitted

Jacketed

Required

rkite /?

FE Sent For:

<END>

Typed

From:

Scholz, AJ

Sent:

Thursday, August 15, 2013 11:35 AM

To:

Kite, Robin

Subject:

RE: Definition of ATV

Hello Robin,

We do not want to retain any of the changes from the original draft, so maybe it would be best to just start over with a new draft, with the language that I provided you in my last email. Thank you for your help with this, I really appreciate it.

Sincerely,

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol

From: Kite, Robin

Sent: Tuesday, August 13, 2013 3:57 PM

To: Scholz, AJ

Subject: RE: Definition of ATV

AJ:

Do you want to retain any of the other changes in LRB-1534. That is, do you want to keep the changes that were made to the definition of a "low pressure tire" and "small all-terrain vehicle"? Regardless of your decision, I can just redraft LRB-1534 even if it means changing it in its entirety.

Thanks. Robin

From: Scholz, AJ

Sent: Tuesday, August 13, 2013 2:43 PM

To: Kite, Robin
Cc: Froelich, Brooke
Subject: Definition of

Subject: Definition of ATV

Hello Robin,

Previously you had worked with us on drafting LRB 1534/3 about altering the definition of an ATV. After some discussions we have decided to alter our request for what the definition might look like. Below is some draft language for what we would like. I don't know which would be easiest for you, to alter the pre-existing draft LRB 1534 or to simply start from scratch with a new draft, but we are open to either.

Our office is working with Brooke in Sen. Harsdorf's office to get this bill drafted, so please feel free to contact either one of us with questions. Thank you for your assistance.

Amend 340.01(2g)

(2g) "All-terrain vehicle" means an engine - driven device which has a net weight of 900 pounds or less, which is originally manufactured with a width of 50 inches or less, which is equipped with a seat designed to be straddled by the operator-and which is designed by the manufacturer to travel on 3 or more low-pressure or non-pneumatic tires.

Additional definition in 340.01

(XX) "Non-Pneumatic Tire (NPT)" means a tire that has a minimum width of 6 inches and that is designed by the manufacturer with a reinforced structure designed not to require inflated pressure.

Amend 23.33(1)(ng)

(ng) "Utility terrain vehicle" means any of the following:

- 1. A motor driven device that does not meet federal motor vehicle safety standards in effect on July 1, 2012, that is not a golf cart, low-speed vehicle, dune buggy, mini-truck, or tracked vehicle, that is designed to be used primarily off of a highway, and that has, and was originally manufactured with, all of the following:
- a. A net weight of less than 2,000 pounds.
- b. Four or more low-pressure or non-pneumatic tires.
- c. A cargo box installed by the manufacturer.
- d. A steering wheel.
- e. A tail light.
- f. A brake light.
- g. Two headlights.
- h. A width of not more than 65 inches.
- i. Seats for at least 2 occupants, all of which seating is Manufactured with a seat for each occupant.
- j. A system of seat belts, or a similar system, for restraining each occupant of the device in the event of an accident.
- **k.** A system of structural members designed to reduce the likelihood that an occupant would be crushed as the result of a rollover of the device.
- 2. A motor driven device that has a net weight of more than 900 pounds, that is originally manufactured with a width of 50 inches or less, that is equipped with a seat designed to be straddled by the operator, and that is designed by the manufacturer to travel on 3 or more low-pressure or non-pneumatic tires.

Additional definition in 23.33

(XX) "Non-Pneumatic Tire (NPT)" means a tire that has a minimum width of 6 inches and that is designed by the manufacturer with a reinforced structure designed not to require inflated pressure.

Amend 23.33

3. To cross a bridge, culvert, or railroad right-of-way. The crossing of a bridge, culvert, or railroad right-of-way is not authorized if the roadway is officially closed to all-terrain vehicle or utility terrain vehicle traffic. The crossing is authorized only if the crossing is done in the most direct manner practicable, if the crossing is made at a place where no obstruction prevents a quick and safe crossing, and if the operator stops the vehicle prior to the crossing and yields the right-of-way to other vehicles, pedestrians, and electric personal assistive mobility devices using the roadway.

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol

From:

Scholz, AJ

Sent:

Monday, August 19, 2013 9:38 AM

To:

Kite, Robin

Subject:

RE: Definition of ATV

Hello Robin,

Yes that is the intent to prevent the vehicle from being altered. Please feel free to give our office a call if you would like more clarification on this issue.

Thanks for your help

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol

From: Kite, Robin

Sent: Friday, August 16, 2013 1:33 PM

To: Scholz, AJ

Subject: RE: Definition of ATV

AJ:

I think one of the changes to the UTV definition in your instructions will need to be changed. The instruction is to provide that a UTV must be "manufactured with a seat for each occupant". I'm not sure how the manufacturer would know how many occupants will be in the vehicle. Do you mean to say that the vehicle may not be altered so that it has more seats than as originally manufactured? Give me a call so that we can discuss this item.

Thanks. Robin

From: Scholz, AJ

Sent: Thursday, August 15, 2013 11:35 AM

To: Kite, Robin

Subject: RE: Definition of ATV

Hello Robin,

We do not want to retain any of the changes from the original draft, so maybe it would be best to just start over with a new draft, with the language that I provided you in my last email. Thank you for your help with this, I really appreciate it.

Sincerely,

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol

From: Kite, Robin

Sent: Tuesday, August 13, 2013 3:57 PM

To: Scholz, AJ

Subject: RE: Definition of ATV

AJ:

Do you want to retain any of the other changes in LRB-1534. That is, do you want to keep the changes that were made to the definition of a "low pressure tire" and "small all-terrain vehicle"? Regardless of your decision, I can just redraft LRB-1534 even if it means changing it in its entirety.

Thanks. Robin

From: Scholz, AJ

Sent: Tuesday, August 13, 2013 2:43 PM

To: Kite, Robin
Cc: Froelich, Brooke
Subject: Definition of ATV

Hello Robin,

Previously you had worked with us on drafting LRB 1534/3 about altering the definition of an ATV. After some discussions we have decided to alter our request for what the definition might look like. Below is some draft language for what we would like. I don't know which would be easiest for you, to alter the pre-existing draft LRB 1534 or to simply start from scratch with a new draft, but we are open to either.

Our office is working with Brooke in Sen. Harsdorf's office to get this bill drafted, so please feel free to contact either one of us with questions. Thank you for your assistance.

Amend 340.01(2g)

(2g) "All-terrain vehicle" means an engine - driven device which has a net weight of 900 pounds or less, which is originally manufactured with a width of 50 inches or less, which is equipped with a seat designed to be straddled by the operator-and which is designed by the manufacturer to travel on 3 or more low-pressure or non-pneumatic tires.

Additional definition in 340.01

(XX) "Non-Pneumatic Tire (NPT)" means a tire that has a minimum width of 6 inches and that is designed by the manufacturer with a reinforced structure designed not to require inflated pressure.

Amend 23.33(1)(ng)

(ng) "Utility terrain vehicle" means any of the following:

- 1. A motor driven device that does not meet federal motor vehicle safety standards in effect on July 1, 2012, that is not a golf cart, low-speed vehicle, dune buggy, mini-truck, or tracked vehicle, that is designed to be used primarily off of a highway, and that has, and was originally manufactured with, all of the following:
- a. A net weight of less than 2,000 pounds.
- b. Four or more low-pressure or non-pneumatic tires.
- c. A cargo box installed by the manufacturer.
- d. A steering wheel.
- e. A tail light.
- f. A brake light.
- g. Two headlights.
- h. A width of not more than 65 inches.
- i. Seats for at least 2 occupants, all of which seating is Manufactured with a seat for each occupant.
- j. A system of seat belts, or a similar system, for restraining each occupant of the device in the event of an accident.
- k. A system of structural members designed to reduce the likelihood that an occupant would be crushed as the result of a rollover of the device.
- 2. A motor driven device that has a net weight of more than 900 pounds, that is originally manufactured with a width of 50 inches or less, that is equipped with a seat designed to be straddled by the operator, and that is designed by the manufacturer to travel on 3 or more low-pressure or non-pneumatic tires.

Additional definition in 23.33

(XX) "Non-Pneumatic Tire (NPT)" means a tire that has a minimum width of 6 inches and that is designed by the manufacturer with a reinforced structure designed not to require inflated pressure.

Amend 23.33

3. To cross a bridge, culvert, or railroad right-of-way. The crossing of a bridge, culvert, or railroad right-of-way is not authorized if the roadway is officially closed to all-terrain vehicle or utility terrain vehicle traffic. The crossing is authorized only if the crossing is done in the most direct manner practicable, if the crossing is made at a place where no obstruction prevents a quick and safe crossing, and if the operator stops the vehicle prior to the crossing and yields the right-of-way to other vehicles, pedestrians, and electric personal assistive mobility devices using the roadway.

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol

From:

Scholz, AJ

Sent:

Thursday, August 22, 2013 8:19 AM

To: Cc: Kite, Robin Hines, Kory

Subject:

ATV Bill

Hello Robin,

I apologize for all the changes and alterations to this ATV draft that you are working on for us. We have a few more things that our offices wants to add as well. Here is everything that we would like to see in a bill draft.

Amend 340.01(2g)

(2g) "All-terrain vehicle" means an engine — motor driven device designed and commercially manufactured which has a net dry weight of 900 pounds or less, which is originally manufactured with a width of 50 inches or less in width, which is equipped with a seat designed to be straddled by the operator, and which is designed by the manufacturer to travels on 3 or more low-pressure or non-pneumatic tires.

Additional definition in 340.01

(XX) "Non-Pneumatic Tire (NPT)" means a tire that has a minimum width of 6 inches and that is designed by the manufacturer with a reinforced structure designed not to require inflated pressure.

Amend 23.33(1)(ng)

(ng) "Utility terrain vehicle" means any of the following:

- 1. A motor driven device designed and commercially manufactured that does not meet federal motor vehicle safety standards in effect on July 1, 2012, that is not a golf cart, low-speed vehicle, dune buggy, mini-truck, or tracked vehicle, that is designed to be used primarily off of a highway, and that has, and was originally manufactured with, all of the following:
- a. A net dry weight of less than 2,000 pounds or less.
- b. Four or more low-pressure or non-pneumatic tires.
- c. A cargo box installed by the manufacturer.
- d. A steering wheel.
- e. A tail light.
- f. A brake light.
- g. Two headlights.
- h. A width of not more than 65 inches.
- i. Seats for at least 2 occupants, all of which seating is Manufactured with a seat for each occupant.
- j. A system of seat belts, or a similar system, for restraining each occupant of the device in the event of an accident.
- **k.** A system of structural members designed to reduce the likelihood that an occupant would be crushed as the result of a rollover of the device.
- 2. A motor driven device designed and commercially manufactured that has a net dry weight of more than 900 pounds, that is originally manufactured with a width of 50 inches or less, that is equipped with a seat designed to be straddled by the operator, and that is designed by the manufacturer to travels on 3 or more low-pressure or non-pneumatic tires.

Additional definition in 23.33

(XX) "Non-Pneumatic Tire (NPT)" means a tire that has a minimum width of 6 inches and that is designed by the manufacturer with a reinforced structure designed not to require inflated pressure.

Amend 23.33

3. To cross a bridge, culvert, or railroad right-of-way. The crossing of a bridge, culvert, or railroad right-of-way is not authorized if the roadway is officially closed to all-terrain vehicle or utility terrain vehicle traffic. The crossing is authorized only if the crossing is done in the most direct manner practicable, if the crossing is made at a place where no obstruction prevents a quick and safe crossing, and if the operator stops the vehicle prior to the crossing and yields the right-of-way to other vehicles, pedestrians, and electric personal assistive mobility devices using the roadway.

Please let either Kory in Sen. Harsdorf's office or I know if you have questions about any of these provisions.

Thanks for your help on this, again I apologize that the drafting request keeps changing.

Sincerely,

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol

From:

Scholz, AJ

Sent:

Thursday, August 22, 2013 9:32 AM

To:

Kite, Robin Hines, Kory

Subject:

RE: ATV Bill

Hello Robin,

- 1) This was requested by the DNR to eliminate the requests they receive to register homemade vehicles that fit the definition specs of an ATV or UTV, however don't have the proven safety features and testing the commercially manufactured vehicles must have.
- 2) Same as number one, yes the intent is that the manufactured vehicles would have to fit the definitions outlined in statute to avoid these homemade vehicles.
- 3) Dry weight is the vehicle devoid of any fluids, such as gas, or cargo. In speaking with the DNR, their current practice is to use the manufacturer listed dry weights when registering vehicles, not the net weight which would be higher when you include things like oil and gas. Since this seems to be the DNR's current practice, we wanted to match this to statutes.

I hope that helps to explain everything. Let me know if you have any follow-up questions.

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol

From: Kite, Robin

Sent: Thursday, August 22, 2013 9:06 AM

To: Scholz, AJ Cc: Hines, Kory Subject: RE: ATV Bill

AJ:

As I look at these changes, I have some questions:

- 1. With regard to the addition of the phrase "designed and commercially manufactured", what is intended by the use of the word, "commercially"? Wouldn't all ATVs be manufactured commercially? I want to make sure I understand what that term is intended to mean.
- 2. Because of the placement of the phrase "designed and commercially manufactured" the language of the draft would provide that the ATV must be designed and commercially manufactured but the other requirements do not have to be met at the time the ATV is commercially manufactured. Is it your intention that the ATV be designed and manufactured to meet the other requirements in the definition? For example, must it be designed and manufactured to have a "dry weight" of 900 pounds or less? Must it be designed and manufactured to operate with 3 or more low-pressure tires? If so, I will need to restructure these provisions to clarify the issue.
- 3. What is a "dry" weight? How is different than a "net" weight?

Thanks. Robin

From: Scholz, AJ

Sent: Thursday, August 22, 2013 8:19 AM

To: Kite, Robin Cc: Hines, Kory Subject: ATV Bill

Hello Robin,

I apologize for all the changes and alterations to this ATV draft that you are working on for us. We have a few more things that our offices wants to add as well. Here is everything that we would like to see in a bill draft.

Amend 340.01(2g)

(2g) "All-terrain vehicle" means an engine — motor driven device designed and commercially manufactured which has a net dry weight of 900 pounds or less, which is originally manufactured with a width of 50 inches or less in width, which is equipped with a seat designed to be straddled by the operator, and which is designed by the manufacturer to travels on 3 or more low-pressure or non-pneumatic tires.

Additional definition in 340.01

(XX) "Non-Pneumatic Tire (NPT)" means a tire that has a minimum width of 6 inches and that is designed by the manufacturer with a reinforced structure designed not to require inflated pressure.

Amend 23.33(1)(ng)

(ng) "Utility terrain vehicle" means any of the following:

- 1. A motor driven device designed and commercially manufactured that does not meet federal motor vehicle safety standards in effect on July 1, 2012, that is not a golf cart, low-speed vehicle, dune buggy, mini-truck, or tracked vehicle, that is designed to be used primarily off of a highway, and that has, and was originally manufactured with, all of the following:
- a. A net dry weight of less than 2,000 pounds or less.
- b. Four or more low-pressure or non-pneumatic tires.
- c. A cargo box installed by the manufacturer.
- d. A steering wheel.
- e. A tail light.
- f. A brake light.
- g. Two headlights.
- h. A width of not more than 65 inches.
- i. Seats for at least 2 occupants, all of which seating is Manufactured with a seat for each occupant.
- j. A system of seat belts, or a similar system, for restraining each occupant of the device in the event of an accident.
- **k.** A system of structural members designed to reduce the likelihood that an occupant would be crushed as the result of a rollover of the device.
- 2. A motor driven device <u>designed and commercially manufactured</u> that has a net dry weight of more than 900 pounds, that is originally manufactured with a width of 50 inches or less, that is equipped with a seat designed to be straddled by the operator, and that is designed by the manufacturer to travels on 3 or more low-pressure <u>or non-pneumatic</u> tires.

Additional definition in 23.33

(XX) "Non-Pneumatic Tire (NPT)" means a tire that has a minimum width of 6 inches and that is designed by the manufacturer with a reinforced structure designed not to require inflated pressure.

Amend 23.33

3. To cross a bridge, culvert, or railroad right-of-way. The crossing of a bridge, culvert, or railroad right-of-way is not authorized if the roadway is officially closed to all-terrain vehicle or utility terrain vehicle traffic. The crossing is authorized only if the crossing is done in the most direct manner practicable, if the crossing is made at a place where no obstruction prevents a quick and safe crossing, and if the operator stops the vehicle prior to the crossing and yields the right-of-way to other vehicles, pedestrians, and electric personal assistive mobility devices using the roadway.

Please let either Kory in Sen. Harsdorf's office or I know if you have questions about any of these provisions.

Thanks for your help on this, again I apologize that the drafting request keeps changing.

Sincerely,

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol



State of Misconsin 2013 - 2014 LEGISLATURE

500n



PRELIMINARY DRAFT - NOT READY FOR INTRODUCTION

AN ACT ...; relating to: the definitions of an all-terrain vehicle and a utility 1 terrain vehicle, restrictions on operating an all-terrain vehicle or a utility 2 terrain vehicle on a roadway, and seating requirements for utility terrain 3 three

Analysis by the Legislative Reference Bureau

Under current law, the Department of Natural Resources administers the laws relating to the operation and registration of all-terrain vehicles (ATVs) and utility terrain vehicles (UTVs). Current law provides that a device qualifies as an ATV or a UTV if it meets certain requirements. Among the requirements for an ATV is that it is designed by the manufacturer to travel on 3 or more low-pressure tires. A UTV must be originally manufactured with 4 or more low-pressure tire. This bill changes these tire requirements so that the tires may also be non-pneumatic tires. The bill provides that a non-pneumatic tire is a tire that, as designed by the manufacturer, has a minimum width of 6 inches, has a reinforced structure, and is not supported by air pressure. The bill also provides that in order to qualify as an ATV or UTV, the vehicle must have been commercially manufactured with the requisite specifications.

Current law requires a UTV to have seats, designed not to be straddled, for at least 2 occupants. This bill eliminates this requirement. The bill also prohibits a

4

TWO

vehicles.



person from operating a UTV with a passenger riding on a seat that is not original to the UTV as manufactured.

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

- SECTION 1. 23.33 (1) (iq) of the statutes is created to read:
- 2 23.33 (1) (iq) "Non-pneumatic tire" means a tire that is designed by the
- 3 manufacturer to meet all of the following requirements:
- 1. To have minimum width of 6 inches.
 - 5 2. To have a reinforced structure.
 - 6 3. To not be supported by air pressure.
 - 7 SECTION 2. 23.33(1) (ng) 1. a. of the statutes is amended to read:
 - 8 23.33 (1) (ng) 1. a. A net weight, without fluids, of less than 2,000 pounds or
 - $9 \quad \underline{less}.$

12

History: 1985 a. 29; 1987 a. 200, 353, 399, 403; 1989 a. 31, 275, 359; 1991 a. 39, 303, 315; 1993 a. 16, 105, 119, 405; 1995 a. 27 ss. 1350 to 1351, 9126 (19); 1995 a. 436, 448; 1997 a. 27, 248, 283; 1999 a. 9; 2001 a. 16, 90, 106, 109; 2003 a. 30, 97, 251, 326; 2005 a. 25, 253, 481; 2007 a. 20 ss. 664m to 666m, 9121 (6) (a); 2007 a. 27, 209; 2009 a. 85, 175, 252, 367; 2011 a. 35, 51, 208, 258; 2013 a. 15, 20; s. 13.92 (1) (bm) 2.

SECTION 3. 23.33 (1) (ng) 1. b. of the statutes is amended to read:

11 23.33 (1) (ng) 1. b. Four or more low-pressure tires or non-pneumatic tires.

History: 1985 a. 29; 1987 a. 200, 353, 399, 403; 1989 a. 31, 275, 359; 1991 a. 39, 303, 315; 1993 a. 16, 105, 119, 405; 1995 a. 27 ss. 1350 to 1351, 9126 (19); 1995 a. 436, 448; 1997 a. 27, 248, 283; 1999 a. 9; 2001 a. 16, 90, 106, 109; 2003 a. 30, 97, 251, 326; 2005 a. 25, 253, 481; 2007 a. 20 ss. 664m to 666m, 9121 (6) (a); 2007 a. 27, 209; 2009 a. 85, 175, 252, 367; 2011 a. 35, 51, 208, 258; 2013 a. 35, 20; s. 13.92 (1) (bm) 2.

SECTION 4. 23.33 (1) (ng) 1. i. of the statutes is repealed.

- 13 SECTION 5. 23.33 (1) (ng) 2. of the statutes is amended to read:
- 14 23.33 (1) (ng) 2. A commercially designed and manufactured motor driven
- device that has a net weight, without fluids, of more than 900 pounds, that is
- originally manufactured with has a width of 50 inches or less, that is equipped with
- a seat designed to be straddled by the operator, and that is designed by the
- manufacturer to travel travels on 3 or more low-pressure tires or non-pneumatic tires

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

SECTION 6. 23.33 (3e) of the statutes is created to read:

23.33 (3e) Nonoriginal seating. No person may operate a utility terrain vehicle with a passenger riding on a seat that is not original to the utility terrain vehicle as manufactured.

SECTION 7. 23.33 (4) (d) 3. of the statutes is amended to read:

23.33 (4) (d) 3. To cross a bridge, culvert, or railroad right-of-way. The crossing of a bridge, culvert, or railroad right-of-way is not authorized if the roadway is officially closed to all-terrain vehicle or utility terrain vehicle traffic. The crossing is authorized only if the crossing is done in the most direct manner practicable, if the crossing is made at a place where no obstruction prevents a quick and safe crossing, and if the operator stops the vehicle prior to the crossing and yields the right-of-way to other vehicles, pedestrians, and electric personal assistive mobility devices using the roadway.

NOTE: NOTE: Missing text is shown in brackets. Corrective legislation is pending.NOTE:

History: 1985 a. 29; 1987 a. 200, 353, 399, 403; 1989 a. 31, 275, 359; 1991 a. 39, 303, 315; 1993 a. 16, 105, 119, 405; 1995 a. 27 ss. 1350 to 1351, 9126 (19); 1995 a. 436, 448; 1997 a. 27, 248, 283; 1999 a. 9; 2001 a. 16, 90, 06, 109; 2003 a. 30, 97, 251, 326; 2005 a. 25, 253, 481; 2007 a. 20 ss. 664m to 666m, 9121 (6) (a); 2007 a. 27, 209; 2009 a. 85, 175, 252, 367; 2011 a. 35, 51, 208, 258; 2012 a. 15, 20; s. 13.92 (1) (bm) 2.

SECTION 8. 340.01 (2g) of the statutes is amended to read:

340.01 (2g) "All-terrain vehicle" means an engine-driven a commercially designed and manufactured motor-driven device which that has a net weight, without fluids, of 900 pounds or less, which is originally manufactured with has a width of 50 inches or less, which is equipped with a seat designed to be straddled by the operator, and which is designed by the manufacturer to travel travels on 3 or more low-pressure tires or non-pneumatic tires.

History: 1971 c. 100 s. 23; 1971 c. 201, 211, 233, 277, 307; 1973 c. 86, 157, 182, 185, 272, 333, 335; 1973 c. 336 s. 79; 1975 c. 25, 120, 121, 136, 192, 199, 320, 326; 1975 c. 429 ss. 2m, 2r, 3, 4, 8, 9; 1977 c. 5; 1977 c. 29 ss. 1405 to 1410, 1654 (3); 1977 c. 30 s. 5; 1977 c. 43, 55, 57, 116, 193, 272, 288, 418; 1979 c. 36, 221; 1979 c. 333 s. 5; 1979 c. 345; 1981 c. 20, 159, 329; 1983 a. 27, 78, 124, 130, 175; 1983 a. 189 ss. 249, 329 (17m), (24); 1983 a. 223, 227, 243, 270, 457, 459; 1983 a. 512 s. 8; 1985 a. 538; 1985 a. 146 s. 8; 1985 a. 165, 187, 287; 1987 a. 259, 270, 349, 399; 1989 a. 31; 1989 a. 75 s. 1; 1989 a. 105; 185 a. 105 ss. 13 to 30, 37, 41, 42; 1989 a. 134, 170; 1993 a. 39, 239, 269, 277, 316; 1993 a. 15, 16, 63, 159, 198, 213, 246, 260, 399, 436, 490; 1995 a. 27 s. 9145 (1); 1995 a. 36, 77, 113, 138, 225, 436, 448; 1997 a. 27, 164, 252, 277; 1999 a. 9, 31, 80, 85, 109, 140; 2001 a. 10, 16, 90, 102, 105, 109; 2003 a. 30, 33, 97, 192, 320, 321; 2005 a. 455; 2007 a. 11; 2007 a. 20 ss. 3190m, 3190p, 3220c; 2007 a. 27; 2007 a. 33 s. 8; 2007 a. 33 s. 8; 2007 a. 130, 175; 2009 a. 85, 97, 100, 122, 177, 311, 30; 2011 a. 32, 73, 101, 203, 28, 265; 2013 a. 39; s. 13.92 (2) (i).

Section 9. 340.01 (36r) of the statutes is created to read:

1	340.01 (36r) "Non-pneumatic tire" means a tire that is designed by the
2	manufacturer to meet all of the following requirements:
3	(a) To have minimum width of 6 inches.
4	(b) To have a reinforced structure.
5	(c) To not be supported by air pressure.
6	(END)

DRAFTER'S NOTE FROM THE LEGISLATIVE REFERENCE BUREAU

LRB-2944/Idn RNK:4.:...

This draft is in preliminary form to facilitate any redrafting that you might require.

Please note that I have changed the definition of "non-pneumatic tire" to be more consistent with the definition that seems to be more generally accepted. Please let me know if this change is acceptable.

Also note that I have placed the requirement that UTVs have original seating in a separate provision rather than in the definition of a UTV. This is because the seating requirement is a substantive one, and it is generally preferable not to include substantive provisions of this type in a definition.

Please feel free to contact me if you have any questions about this draft.

Robin N. Kite Senior Legislative Attorney Phone: (608) 266–7291

E-mail: robin.kite@legis.wisconsin.gov

DRAFTER'S NOTE FROM THE LEGISLATIVE REFERENCE BUREAU

LRB-2944/P1dn RNK:eev:jm

August 26, 2013

This draft is in preliminary form to facilitate any redrafting that you might require.

Please note that I have changed the definition of "non-pneumatic tire" to be more consistent with the definition that seems to be more generally accepted. Please let me know if this change is acceptable.

Also note that I have placed the requirement that UTVs have original seating in a separate provision rather than in the definition of a UTV. This is because the seating requirement is a substantive one, and it is generally preferable not to include substantive provisions of this type in a definition.

Please feel free to contact me if you have any questions about this draft.

Robin N. Kite Senior Legislative Attorney Phone: (608) 266–7291

E-mail: robin.kite@legis.wisconsin.gov

LB3-2944
Redraft instructions from Con in Red
Redraft instructions from Cory in Rep Harsdoy's office
amend 23, 33 (1) (ng) 1. to unsert "commercially
designed and manufactured" as in sub. 2
amend 23.33(1)(ng) 2 so that it can weigh not more than 2,000 pounds
weigh not more than 2,000 pounds
Page 3, live 2 - clarify so that no person can ride on a seat that is not original (i.e. not just passenger)
can ride on a seal that is not regural
(i.e. Not just fasserger)
Page 3, line 15 - strike "net"
told Cong That someone in Rep Severson's
Ashice was ed have to call me to
intruct me to do this redrait since
office would have to call me to intruct me to do this redrapt since this is severson's bill
1

From:

Scholz, AJ

Sent:

Monday, September 09, 2013 6:45 AM

To: Cc: Kite, Robin Hines, Kory

Subject:

LRB 2944

Hello Robin,

There are some minor changes we would like to make to LRB 2944 relating to definition changes for ATVs and UTVs below. Please feel free to contact either myself or Kory Hines in Sen. Harsdorf's office if you have any questions or concerns.

We missed inserting the "commercially designed and manufactured" wording into the UTV definition. It is drafted to insert this language in the ATV definition only in the current draft form. Please add to the UTV definition

We would like a top weight of 2000 lbs. added to part 2 of the UTV definition. (Page 2 line 15)

Please change "a passenger riding" and replace it with "riders". (Page 3 line 2)

AJ Scholz

Office of Representative Erik Severson 608-267-2365 221 North, State Capitol Talked to AJ +

Talked to AJ +

Kory wy my

Acreed by larguage

RNK

RNK

From:

Kite, Robin

Sent:

Monday, September 09, 2013 2:57 PM

To: Cc: Scholz, AJ Hines, Kory

Subject:

LRB-2944

AJ:

I have redrafted this proposal so that the language is clear that both the operator and the other occupants of a UTV must be seated on original seats. I made other changes to the draft to improve readability and revised the analysis to correct some errors. Once you are satisfied with the draft, please let me know so that I can proceed to draft the companion for Sen. Harsdorf.

Thanks.

Robin

Robin N. Kite Senior Legislative Attorney Wisconsin Legislative Reference Bureau 1 E. Main St., Suite 200 Madison, WI 53703 (608) 266-7291



Wanted 9712 State of Misconsin 2013 - 2014 **LEGISLATURE**



PRELIMINARY DRAFT - NOT READY FOR INTRODUCTION

2

3

4

TODAY 2013 BILL

regen.cat.

AN ACT to repeal 23.33 (1) (ng) 1. i.; to amend 23.33 (1) (ng) 1. a., 23.33 (1) (ng) 1

1. b., 23.33 (1) (ng) 2., 23.33 (4) (d) 3. and 340.01 (2g); and to create 23.33 (1)

(iq), 23.33 (3e) and 340.01 (36r) of the statutes; relating to: the definitions of

an all-terrain vehicle and a utility terrain vehicle, restrictions on operating an

5 all-terrain vehicle or a utility terrain vehicle on a roadway, and seating

6 requirements for utility terrain vehicles.

Analysis by the Legislative Reference Bureau

Under current law, the Department of Natural Resources administers the laws relating to the operation and registration of all-terrain vehicles (ATVs) and utility terrain vehicles (UTVs). Current law provides that a device qualifies as an ATV or a UTV if it meets certain requirements. Among the requirements for an ATV is that it is designed by the manufacturer to travel on three or more low-pressure tires. A UTV must be originally manufactured with four or more low-pressure tires. This bill changes these tire requirements so that the tires may also be non-pneumatic tires. The bill provides that a non-pneumatic tire is a tire that, as designed by the manufacturer, has a minimum width of six inches, has a reinforced structure, and is not supported by air pressure. The bill also provides that in order to qualify as an ATV or UTV, the vehicle must have been commercially, manufactured with the requisite specifications. -designed and

Turrent law, requires a UTV to have seats, designed not to be straddled, for at least two occupants. This bill eliminates this requirement. The bill also prohibits

The bill does not change current laws that requires certain other UTVs have a seat designed by the operator to be stradiled.

1

2

3

4

5

6

7

9

10

13

14

15

16

17

18

19

20

a person from operating a UTV with a passenger riding on a seat that is not original to the UTV as manufactured.

while seated on or allowing other occupants to be seated on

The people of the state of Wisconsin, represented in senate and assembly, do enact as follows:

SECTION 1. 23.33 (1) (iq) of the statutes is created to read:

23.33 (1) (iq) "Non-pneumatic tire" means a tire that is designed by the manufacturer to meet all of the following requirements:

- 1. To have a minimum width of 6 inches.
- 2. To have a reinforced structure.
- 3. To not be supported by air pressure.

SECTION 2. 23.33 (1) (ng) 1. a. of the statutes is amended to read:

- 23.33 (1) (ng) 1. a. A net weight, without fluids, of less than 2,000 pounds or less.
 - **SECTION 3.** 23.33 (1) (ng) 1. b. of the statutes is amended to read:
- 11 23.33 (1) (ng) 1. b. Four or more low-pressure tires or non-pneumatic tires.
- 12 Section 4. 23.33 (1) (ng) 1. i. of the statutes is repealed.

SECTION 5. 23.33 (1) (ng) 2. of the statutes is amended to read:

23.33 (1) (ng) 2. A commercially designed and manufactured motor driven device that has a net weight, without fluids, of more than 900 pounds, that is originally manufactured with has a width of 50 inches or less, that is equipped with a seat designed to be straddled by the operator, and that is designed by the manufacturer to travel travels on 3 or more low-pressure tires or non-pneumatic

tires.

Section 6. 23.33 (3e) of the statutes is created to read:

 $\mathbf{2}$

unless he on shes and every occupant of the utility terrain vehicle, is seated

23.33 (3e) NO person may operate a utility terrain vehicle with a passenger ridure on a seat that is not original to the utility terrain vehicle as manufactured.

SECTION 7. 23.33 (4) (d) 3. of the statutes is amended to read:

23.33 (4) (d) 3. To cross a bridge, culvert, or railroad right-of-way. The crossing of a bridge, culvert, or railroad right-of-way is not authorized if the roadway is officially closed to all-terrain vehicle or utility terrain vehicle traffic. The crossing is authorized only if the crossing is done in the most direct manner practicable, if the crossing is made at a place where no obstruction prevents a quick and safe crossing, and if the operator stops the vehicle prior to the crossing and yields the right-of-way to other vehicles, pedestrians, and electric personal assistive mobility devices using the roadway.

SECTION 8. 340.01 (2g) of the statutes is amended to read:

340.01 (2g) "All-terrain vehicle" means an engine-driven a commercially designed and manufactured motor-driven device which that has a net-weight, without fluids, of 900 pounds or less, which is originally manufactured with has a width of 50 inches or less, which is equipped with a seat designed to be straddled by the operator, and which is designed by the manufacturer to travel travels on 3 or more low-pressure tires or non-pneumatic tires.

SECTION 9. 340.01 (36r) of the statutes is created to read:

340.01 (36r) "Non-pneumatic tire" means a tire that is designed by the manufacturer to meet all of the following requirements:

- (a) To have a minimum width of 6 inches.
- (b) To have a reinforced structure.

1 (c) To not be supported by air pressure.

2 (END)

2013–2014 Drafting Insert from the Legislative Reference Bureau

INSERT ANALYSIS

INS. ANALA

A UTV must be either originally manufactured with four or more low-pressure tires or be designed by the manufacturer to travel on 3 or more low-pressure tires depending on whether the UTV meets certain other requirements.

INS. ANAL.

16

Under current law, a device qualifies as a UTV if it weighs more than 900 pounds and meets certain other requirements. This bill specifies that a device does not qualify as a UTV unless it also weighs no more than 2000 pounds.

INSERT 2-6

SECTION 1. 23.33 (1) (ng) 1. (intro.) of the statutes is amended to read:

2 23.33 (1) (ng) 1. (intro.) A commercially designed and manufactured motor

driven device that does not meet federal motor vehicle safety standards in effect on

July 1, 2012, that is not a golf cart, low-speed vehicle, dune buggy, mini-truck, or

tracked vehicle, that is designed to be used primarily off of a highway, and that has,

and was originally manufactured with, all of the following:

INSERT 2-19

- SECTION 2. 23.33 (1) (ng) 2. of the statutes is renumbered 23.33 (1) (ng) 2.

 (intro.) and amended to read:

 23.33 (1) (ng) 2. (intro.) A commercially designed and manufactured motor

 driven device that has to which all of the following applies:

 a. It has a net weight, without fluids, of more than 900 pounds, that is originally

 manufactured with but not more than 2000 pounds.
- b. It has a width of 50 inches or less, that.
- c. It is equipped with a seat designed to be straddled by the operator, and that is designed by the manufacturer to travel.
 - d. It travels on 3 or more low-pressure tires or non-pneumatic tires.

Barman, Mike

From:

Scholz, AJ

Wednesday, September 11, 2013 3:14 PM LRB.Legal

Sent: To:

Subject:

Draft Review: LRB -2944/1 Topic: Definition changes for ATVs and UTVs

Please Jacket LRB -2944/1 for the ASSEMBLY.